

Spartan Chemical Company, Inc. WHMIS Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	AQUAFORCE 5843C Wood Floor Finish For Industrial and Institutional Use Only	,	
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com	Canadian Agent: Perley-Robertson, Hill & McDougal, LLP 340 Albert Street, Suite 1400 Ottawa, ON, Canada K1R 0A5	
Medical Emergency/Information:	888-314-6171 (24 Hour)		
	2. HAZARDS IDENTIFICA	TION	
GHS Classification	Not classified as hazardous by WHM	IS HazCom-GHS	
GHS Label Elements Signal Word: Symbols: Hazard Statements: Precautionary Statements: Prevention: Response: -Specific Treatment: Storage: Disposal:	Not Applicable Not Applicable	ST AID MEASURES" for additional information.	
Hazards Not Otherwise Classified:	Not Applicable		
Other Information:	 May be harmful if swallowed Inhalation of vapors or mist may cause May cause skin irritation. May cause eye irritation Keep out of reach of children 	e respiratory irritation.	

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-80
Butoxyethanol	111-76-2	1-5
Dipropylene Glycol Butyl Ether	29911-28-2	1-5

The actual concentrations of the components in this product have been withheld as trade secrets.

Other Non-Hazardous Ingredients: Urethane Polymer

	4. FIRST AID MEASURES
-Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious
	person. Get medical attention if you feel unwell.
Note to Physicians:	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.
	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13)
	7. HANDLING AND STORAGE
Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reac of children. Keep from freezing.
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		S*	

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Personal Protective Equipment	
Eye/Face Protection:	Not required with expected use.
Skin and Body Protection:	Not required with expected use.
Respiratory Protection:	Not required with expected use.
	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a
	NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section
	3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling.
	See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Anna anna a / Dhuasia a L Ota ta c	
Appearance/Physical State:	Liquid
Color:	White
Odor:	Mild
Odor Threshold:	No information available
pH:	7.0-8.0
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	1.037
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	5
Product Information:	Data not available or insufficient for classification.

Numerical Measures of Toxicity

.

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	23739 mg/kg
ATEmix (dermal):	52227 mg/kg
ATEmix (inhalation-dust/mist):	71.2 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	Not Available	Not Available
7732-18-5			
Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			
Dipropylene Glycol Butyl Ether	= 1620 µL/kg (Rat)	Not Available	= 42.1 ppm (Rat) 4 h
29911-28-2			

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Butoxyethanol 111-76-2	Not Available	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	Not Available	1000: 48 h Daphnia magna mg/L EC50
Dipropylene Glycol Butyl Ether 29911-28-2	Not Available	841: 96 h Poecilia reticulata mg/L LC50 static	Not Available	Not Available
Persistence and Degrada Bioaccumulation:		ion available. ion available.		
Other Adverse Effects:	No informati	ion available		
	13. DI	SPOSAL CONSIDERAT	IONS	
Disposal of Wastes: Contaminated Packaging		n accordance with federal, sta n accordance with federal, sta		
	14. TI	RANSPORT INFORMAT	ΓΙΟΝ	
<u>TDG / DOT:</u> UN/ID No: Special Provisions:	Shipping de and/or origin	ed ous Product scriptions may vary based on and destination. Check with formation specific to your situ	n a trained hazardous	
IMDG: UN/ID No:	Not Regulat Non Hazard			

15. REGULATORY INFORMATION

DSL / NDSL Status: (Domestic Substances List / Non-Domestic Substances List) The chemical substances in this product are included on or exempt from listing on the Canadian DSL / NDSL.

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Butoxyethanol

CAS No 111-76-2 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

16. OTHER INFORMATION					
<u>NFPA</u> HMIS	Health Hazards: 1 Health Hazards: 1	Flammability: 0 Flammability: 0	Instability: 0 Physical Hazards: 0	Special: N/A	
Revision Date:	28-Mar-2022				

Reasons for Revision:

New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet